

Anti-Human TIE-1 (#6F12) (MAB)

Synonyms: TIE1, TIE, JTK14

PLEASE NOTE: ALWAYS CENTRIFUGE VIAL BEFORE OPENING

Size Order# Lot# Expiry Date

100 μg 1950.650.100

Please enquire for bulk quantities and other vial sizes.

Description

Tie-1/Tie and Tie-2/Tek are receptor tyrosine kinases with unique structural characteristics including two immunoglobulin-like domains flanking three epidermal growth factor (EGF)-like domains, followed by three fibronectin type III-like repeats in the extracellular region, and a split tyrosine kinase domain in the cytoplasmic region. Tie-2 is a receptor for the angiopoietin (ANG) family: ANG-1, ANG-2, and ANG-3 (mouse)/-4 (human). It is involved in vascular stabilization and remodeling. Although less well understood, Tie-1 may also act as an ANG receptor, possibly in complex with Tie-2.

Source Mouse
Isotype IgG1
Clone AB-7 G23

Biological Activity

ELISA: Use at 1-15 μ g/ml; Western blotting: Use at 1-2 μ g/ml; FACS analysis and cell sorting: Test under progress.

Reconstitution

Centrifuge vial prior to opening. Reconstitute in sterile water to a concentration of 1.0 mg/ml.

Usage: For research use only. Not for use in diagnostic or therapeutic procedures. Not for human use.

^{*}The Buffer may vary depending on the Lot #. Please contact our technical support if you have specific requirements.