

Human PDGF-BB

Synonyms: PDGF-2, Platelet-derived growth factor B chain, Platelet-derived growth factor beta polypeptide, Proto-oncogene c-Sis, INN=Becaplermin

PLEASE NOTE: ALWAYS CENTRIFUGE VIAL BEFORE OPENING

Size	Order #	Lot #	Expiry Date
5 µg	1802.950.005		
10 µg	1802.950.010		
50 µg	1802.950.050		
100 µg	1802.950.100		
250 µg	1802.950.250		
500 µg	1802.950.500		
1 mg	1802.950.199		

Please enquire for bulk quantities and other vial sizes

Description

PDGFs are disulfide-linked dimers consisting of two 12.0-13.5 kDa polypeptide chains, designated PDGF-A and PDGF-B chains. The three naturally occurring PDGFs; PDGF-AA, PDGF-BB and PDGF-AB, are potent mitogens for a variety of cell types including smooth muscle cells, connective tissue cells, bone and cartilage cells, and some blood cells. The PDGFs are stored in platelet alpha-granules and are released upon platelet activation. The PDGFs are involved in a number of biological processes, including hyperplasia, chemotaxis, embryonic neuron development, and respiratory tubule epithelial cell development. Two distinct signaling receptors used by PDGFs have been identified and named PDGFR-alpha and PDGFR-beta. PDGFR-alpha is high-affinity receptor for each of the three PDGF forms. On the other hand, PDGFR-beta interacts with only PDGF-BB and PDGF-AB. Recombinant human PDGF-BB is a 24.3 kDa disulfide-linked homodimer of two B chains (218 total amino acids).

- **Source** *E. Coli*
- **Purity** ≥ 95 % (SDS-PAGE, silver stained)
- **Endotoxin level** < 0.1 ng per ug of PDGF-BB

Biological Activity

The biological activity was determined by the induction of proliferation in NHDF cells (Normal Human Dermal Fibroblasts).

Reconstitution

Centrifuge vial prior to opening. The lyophilized PDGF-BB should be reconstituted in 50mM acetic acid to a concentration not lower than 100µg/ml. For long term storage of reconstituted protein addition of carrier protein (e.g. BSA or HSA; 0.1%) is recommended..

Amino Acid Sequence

SLGSLTIAEP AMIAECKTRT EVFEISRRLI DRTNANFLVW PPCVEVQRCS GCCNNRNVQC RPTQVQLRPV
QVRKIEIVRK KPIFKKATVT LEDHLACKCE TVAAARPVT

Usage: For research use only. Not for use in diagnostic or therapeutic procedures. Not for human use.

*The Buffer may vary depending on the Lot #. Please contact our technical support if you have specific requirements.

ORDERING
Tel.: +49 40 43208448-0
order@active-bioscience.de
www.active-bioscience.de

TECHNICAL SUPPORT
Tel.: +49 40 43208448-11
support@active-bioscience.de

Active Bioscience GmbH
Oberaltenallee 8
D-22081 Hamburg
HRB 98170 Amtsgericht Hamburg