

Murine IL-17F

Synonyms: Cytokine ML-1, IL-17F, Interleukin-17F precursor, IL17F, ML1, ML-1.

PLEASE NOTE: ALWAYS CENTRIFUGE VIAL BEFORE OPENING

Size	Order #	Lot #	Expiry Date
5 µg	1570.960.005		
25 µg	1570.960.025		
1 mg	1570.960.199		

Please enquire for bulk quantities and other vial sizes

Description

IL17F Murine Recombinant produced in *E.Coli* is a homodimeric, non-glycosylated polypeptide chain containing a total of 266 amino acids and having a molecular mass of 29.8 kDa.

- **Source** *E. Coli*
- **Purity** ≥ 97 % (SDS-PAGE, RP-HPLC)
- **Endotoxin level** ≤ 0.1ng/µg (≤ 1EU/µg)
- **Buffer** IL17F was lyophilized from a concentrated (1mg/ml) solution containing no additives*
- **Physical state** Sterile filtered, lyophilized

Reconstitution

We recommend a quick spin followed by reconstitution in sterile water to a concentration of at least 100 µg/ml, which can then be further diluted to other aqueous solutions. Do not vortex.

Stability

Lyophilized Murine IL17F although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution IL17F should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). **Please avoid repeated freeze-thaw cycles.**

Amino Acid Sequence

RKNPKAGVPA LQKAGNCPPL EDNTRVVDIR IFNQNGISV PREFQNRSSS PWDYNITRDP HRFPSSEIAEA
QCRHSGCINA QGQEDSTMNS VAIQQEILVL RREPQGCNS FRLEKMLLKV GCTCVKPIVH QAA

Usage: For research use only. Not for use in diagnostic or therapeutic procedures. Not for human use.

*The Buffer may vary depending on the Lot #. Please contact our technical support if you have specific requirements.

ORDERING
Tel.: +49 40 43208448-0
order@active-bioscience.de
www.active-bioscience.de

TECHNICAL SUPPORT
Tel.: +49 40 43208448-11
support@active-bioscience.de

Active Bioscience GmbH
Oberaltenallee 8
D-22081 Hamburg
HRB 98170 Amtsgericht Hamburg